



ED-1

VRTINČNI DIFUZOR SWIRL DIFFUSER

OPIS:

ED-1 enostavni vrtnični difuzor je difuzor manjših do srednjih dimenzij primeren za vgradnjo v prostore z nižjimi stropi od 2,8 m do 3,5 m.

KONSTRUKCIJA:

- okrogel ali kvadraten difuzor
- fiksne lamele
- okrogla razporeditev lamel

MATERIAL:

STANDARD:

- STANDARD: pocinkana pločevina
- OPCIJA:
 - nerjaveča pločevina INOX AISI 304
 - nerjaveča pločevina INOX AISI 316

BARVA: bela barva RAL 9010 MAT ali poljubna barva po RAL lestvici

DODATKI:

RD - reducir
PP - perforirana plošča v vratu difuzorja
PB 3 - priključna komora PB3
PB 4 - priključna komora PB4

DESCRIPTION:

The ED-1 swirl diffuser is a diffuser with small to medium dimensions. It can be used for lower ceiling heights from 2.8 m to 3.5 m.

CONSTRUCTION:

- round or square diffuser
- fixed blades
- radial blade arrangement

MATERIAL:

- STANDARD: galvanized sheet metal
- OPTIONS:
 - stainless steel sheet metal INOX AISI 304
 - stainless steel sheet metal INOX AISI 316





FINISH: RAL 9010 MAT white, or any colour from the RAL palette

SUPPLEMENTS:


RD - reducer
PP - perforated plate placed on the neck of the diffuser
PB 3 - plenum box PB3
PB 4 - plenum box

DIMENZIJE / DIMENSIONS:

	Ø D	D1	Ø D2	Ø D3	H	H1	Ø A
100	98	140	200	98	170		
125	123	160	225	98	170	70	98
160	158	200	260	123	195	75	123
180	178	250	280	158	230	80	158
200	198	250	300	158	230	80	158
250	248	315	350	198	270	85	198
315	313	400	415	248	320	85	248
355	353	450	455	248	320	95	313
400	398	500	500	313	385	95	313
500	498	600	600	353	420	120	398

PB-3 okrogla komora / round plenum box**PB-4** okrogla komora / round plenum box**ED-1R** okrogli difuzor / round diffuser**ED-1K PL** kvadratni difuzor na plati 595x595 mm
square diffuser on plate 595x595 mm**ED-1K** kvadratni difuzor / square diffuser**RD** reducir / reducer

HITRA IZBIRA / FAST SELECTION: <https://izdelki.kosanc.si/>



NAČIN NAROČANJA / HOW TO ORDER:

ED-1	R	315	RAL 9010	PP
------	---	-----	----------	----

PB 3	315	/	250	H	L	ISO 6mm
------	-----	---	-----	---	---	---------

izolacija / insulation

6 mm, 10 mm, 13 mm, 19 mm

loputka / damper

pozicija priključka / position of connection

H – horizontalen / horizontal

V – vertikalni / vertical

priključek / connection opening

standard

poljuben / optional

dimenzija komore / plenum dimension

komora / plenum

PB3 komora / plenum

PB4 komora / plenum

dodatki / supplements

RD - reducer / reducer

PP – perforirana razpršilna plošča / perforated dispersing plate

barva / colour

standard RAL 9010

dimenzija difuzorja / diffuser dimension

125, 160, 200, 250, 315, 400

oblika / shape

R - okrogla / round

K - kvadratna / square

K PL - kvadratna 595x595 mm / square 595x595 mm

tip difuzorja / diffuser type